

Item code

NEUROPHYSIOLOGY

PREWIRED HEADCAPS

CLASSIC PREWIRED CAP

64.100.83	Prewired headcap - large adult size (58-62 cm) blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.84	Prewired headcap - medium adult size (54-58 cm) red - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.85	Prewired headcap - small adult size (50-54 cm) yellow - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.86	Prewired headcap - extrasmall adult size (46-50 cm) green - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.87	Prewired headcap - large infant size (42-46 cm) light blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.88	Prewired headcap - medium infant size (38-42 cm) pink - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.89	Prewired headcap - small infant size (34-38 cm) brown - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)

Other versions available on request



DISPOSABLE PREWIRED HEADCAP

64.101.21	Disposable prewired headcap - large adult size (54 - 62 cm) - tin electrodes - 19 + GND - SUB-D 25pole connector (1pack=1cap)
64.101.22	Disposable prewired headcap - small adult size (46 - 54 cm) - tin electrodes - 19 + GND - SUB-D 25pole connector (1pack=1cap)
64.101.24	Disposable prewired headcap - large pediatric size (40 - 46 cm) - tin electrodes - 19 + GND - SUB-D 25pole connector (1pack=1cap)
64.101.25	Disposable prewired headcap - small pediatric size - tin electrodes - 9 + GND - SUB-D 25pole connector (1pack=1cap)

Other versions available on request



EAR ELECTRODES - USABLE AS A REFERENCE ELECTRODE

64.116.01	Tin ear electrode, 100cm long leadwire and 1,5mm touch proof connector (1pack=2pieces)
64.116.02	AgAgCl ear electrode, 100cm long leadwire and 1,5mm touch proof connector (1pack=2pieces)
64.116.03	Sintered AgAgCl ear electrode, 100cm long leadwire and 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



BODY HARNESES

64.111.01	120cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.02	95cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.03	70cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.05	40cm long body harness, pediatric version, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)



CHIN HOLDERS

64.100.96	Couple of bands for a soft chin holder, adult version
64.100.97	Couple of bands for a soft chin holder, pediatric version
64.100.98	Couple of bands for a soft chin holder, neonatal version
64.118.14	Bridge electrode covering set (1pk=1Ring Holder,100 Fastening Rings,100 Discs)

Other versions available on request



ELECTRODE BOARD ADAPTERS

64.112.05	Electrode board adapter connection leadwire for electrodes cap 20 channels with 1,5mm touch proof connector (1pack=1piece)
64.112.06	Electrode board adapter connection leadwire for electrodes cap 21 channels with 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



HEADCAPS

EMERGENCY LEADWIRES

64.113.06	Emergency electrode for prewired cap - 120 cm - with 1,5mm touch proof connector (1pack=1piece)
-----------	---

Other versions available on request



DISPOSABLE BLUNTED NEEDLES

64.115.01	Disposable stainless steel blunted needle, 15mm long (1pack=100pieces)
-----------	--



Item code

NEUROPHYSIOLOGY

OTHER ACCESSORIES

- 64.115.03 Adhesive sponge rings for Classic prewired cap (64.100.83-64.100.89) and for prewired cap with moulded and interchangeable electrodes (64.100.07-64.100.13) (1pack=50pieces)
- 64.115.05 Brush for electrode cleaning (1pack=25pieces)



PTS HEADCAPS

- 64.100.82 PTS Headcap with 2 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
- 64.100.99 PTS Headcap with 4 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
- 64.100.76 PTS Headcap with 2 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
- 64.100.79 PTS Headcap with 4 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
- 64.100.75 PTS Headcap with 2 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
- 64.100.78 PTS Headcap with 4 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
- 64.100.77 PTS Headcap with 2 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
- 64.100.80 PTS Headcap with 4 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
- 64.100.90 PTS Headcap with 1 band with adjustable soft chin holder - neonatal/thin size (1pack=1piece)



Other versions available on request

BRIDGE ELECTRODES


BRIDGE ELECTRODES

- 64.117.07 Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - red (1pack=10pieces)
- 64.117.08 Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - blue (1pack=10pieces)
- 64.117.09 Paediatric sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - yellow (1pack=10pieces)



Other versions available on request

- 64.119.02 120cm long connection lead wire (10 colours) with 2mm spring plug one side and 1,5mm touchproof connector other side (1pack=10pieces)
- 64.119.03 120cm long connection lead wire (10 colours) with 2mm spring plug on both sides (1pack=10pieces)
- 64.119.04 120cm long connection lead wire (10 colours) with insulated alligator clip one side and 2mm spring plug other side (1pack=10pieces)
- 64.119.05 120cm long connection lead wire (10 colours) with insulated alligator clip one side and 1,5mm touch proof connector other side (1pack=10pieces)
- 64.119.10 120cm long connection lead wire (10 colours) with insulated alligator clip one side and 2mm pin plug other side (1pack=10pieces)



Other versions available on request

CUP ELECTRODES

REUSABLE MOULDED CUP ELECTRODES

- 64.120.14 Stamped AgAgCl 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.120.05 Stamped AgAgCl 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.120.09 Stamped AgAgCl 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.14 Stamped gold plated 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.05 Stamped gold plated 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.09 Stamped gold plated 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)



Other versions available on request

PEDIATRIC CUP ELECTRODES

- 64.129.14 Stamped AgAgCl 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.129.05 Stamped AgAgCl 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.129.09 Stamped AgAgCl 6mm pediatric cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.18 Stamped gold plated 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.19 Stamped gold plated 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.122.21 Stamped gold plated 6mm pediatric cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)



Other versions available on request

Item code

NEUROPHYSIOLOGY

Valid from 01/05/2023

REUSABLE CASTED CUP ELECTRODES

64.123.14	Casted AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.05	Casted AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.09	Casted AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.124.14	Casted gold plated 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.124.05	Casted gold plated 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.124.09	Casted gold plated 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)

Other versions available on request



REUSABLE LONG TIME MONITORING CUP ELECTRODES

64.123.21	Ltm AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.22	Ltm AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.23	Ltm AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.24	Ltm gold plated 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.25	Ltm gold plated 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.26	Ltm gold plated 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)

Other versions available on request



DISPOSABLE CUP ELECTRODES

64.138.14	Disposable AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.138.15	Disposable AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.138.17	Disposable AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)



GEL AND CREAM

64.139.18	EEG gel into 250gr bottle (1pack=1bottle)
64.139.19	EEG gel into 250gr jar (1pack=3jars)
64.139.20	Scrub cream into 160gr bottle (1pack=24bottles)
64.139.21	Adhesive and conductive cream into 250gr jar (1pack=3jars)

DISPOSABLE ELECTRODES

ADHESIVE ELECTRODES

64.139.16	15X20mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.05	15X20mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.07	15X20mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.25	15X20mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.17	20X25mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.01	20X25mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.03	20X25mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.26	20X25mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.11	15X20mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)
64.139.12	20X25mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)



GROUND ADHESIVE ELECTRODES

64.140.11	35X45mm disposable surface electrode with 150cm lead wire and 1,5mm touchproof connector (1pack=80pieces/4 electrodes per pouch)
-----------	--

SNAP ADHESIVE ELECTRODES

64.140.05	24mm diam disposable surface electrode with stud connection (1pack=500pieces/25 electrodes per pouch)
64.140.07	35X45mm disposable surface electrode with snap connection (1pack=80pieces/4 electrodes per pouch)

Other versions available on request



Item code

NEUROPHYSIOLOGY

Valid from 01/05/2023

CONNECTION LEADWIRES

MONOPOLAR CONNECTION LEADWIRES

64.140.12	100cm monopolar connection cable, one side 1mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.13	100cm monopolar connection cable, one side 1,5mm protected plug, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.14	100cm monopolar connection cable, one side 0,7mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.15	100cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.16	150cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.17	250cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)

MULTIPOLAR CONNECTION LEADWIRES


64.125.01	100cm flexible shielded connection cable, one side 3 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.02	100cm flexible shielded connection cable, one side 3 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.03	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.04	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.05	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.06	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.07	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.08	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.09	100cm flexible shielded connection cable, one side 3 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.10	100cm flexible shielded connection cable, one side 3 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.11	100cm flexible shielded connection cable, one side 2 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.12	100cm flexible shielded connection cable, one side 2 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.13	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.14	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.15	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.16	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.17	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.18	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.19	100cm flexible shielded connection cable, one side 2 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.20	100cm flexible shielded connection cable, one side 2 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)

Other versions available on request

NEEDLE ELECTRODES

SUBDERMAL NEEDLE ELECTRODES

64.141.18	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 100cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.143.07	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 150cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.20	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 250cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.01	Disposable moulded subdermal needle electrode, diam.0,35(28G)x12mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.21	Disposable moulded subdermal needle electrode, diam.0,35(28G)x18mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.23	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 100cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.24	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 150cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.25	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 250cm leadwire and 1,5mm touchproof connector (1pack=24needles)



Item code

NEUROPHYSIOLOGY

Valid from 01/05/2023

TWISTED SUBDERMAL NEEDLE ELECTRODES

64.143.08	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 100cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.09	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 150cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.10	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 250cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.11	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 100cm leadwires and 1,5mm touchproof connector (1pack=10set)
64.143.14	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 150cm leadwires and 1,5mm touchproof connector (1pack=10set)
64.143.17	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 250cm leadwires and 1,5mm touchproof connector (1pack=10set)



SPIRAL NEEDLE ELECTRODES

64.143.20	Disposable spiral needle electrodes, with 100cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.21	Disposable spiral needle electrodes, with 150cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.22	Disposable spiral needle electrodes, with 250cm leadwire and 1,5 touchproof connector (1pack=24needles)



EMG CONCENTRIC NEEDLE ELECTRODES

65.100.18	30G diam.0,30x25mm, disposable concentric needle electrode (purple), concentric connection (1pack=25needles)
65.100.02	28G diam.0,35x30mm, disposable concentric needle electrode (red), concentric connection (1pack=25needles)
65.100.03	28G diam.0,35x40mm, disposable concentric needle electrode (grey), concentric connection (1pack=25needles)
65.100.17	26G diam.0,45x30mm, disposable concentric needle electrode (orange), concentric connection (1pack=25needles)
65.100.05	26G diam.0,45x40mm, disposable concentric needle electrode (black), concentric connection (1pack=25needles)
65.100.06	26G diam.0,45x50mm, disposable concentric needle electrode (yellow), concentric connection (1pack=25needles)
65.100.08	23G diam.0,60x70mm, disposable concentric needle electrode (brown), concentric connection (1pack=25needles)



DISPOSABLE SINGLE FIBER AND MACRO NEEDLE ELECTRODES

65.100.09	26G diam. 0,45x37mm, disposable single fiber needle electrode (blue), concentric connection (1pack=5needles)
65.100.19	26G diam. 0,45x37mm, disposable macro needle electrode (blue), concentric connection (1pack=5needles)



CONNECTION CABLE

65.111.11	100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
65.111.02	200cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)

Other versions available on request



EMG MONOPOLAR INSULATED NEEDLE ELECTRODES

65.113.01	28G diam. 0,35x15mm disposable monopolar needle electrode, with 76cm leadwire (black) and 1,5mm touchproof connector (1pack=25needles)
65.113.09	28G diam. 0,35x25mm disposable monopolar needle electrode, with 76 cm leadwire (red) and 1,5 mm touchproof connector (1pack=25needles)
65.113.10	28G diam. 0,35x37mm disposable monopolar needle electrode, with 76cm leadwire (orange) and 1,5mm touchproof connector (1pack=25needles)
65.113.11	26G diam. 0,45x37mm disposable monopolar needle electrode, with 76cm leadwire and (green) 1,5mm touchproof connector (1pack=25needles)
65.113.12	26G diam. 0,45x50mm disposable monopolar needle electrode, with 76cm leadwire and (blue) 1,5mm touchproof connector (1pack=25needles)
65.113.13	26G diam. 0,45x75mm disposable monopolar needle electrode, with 76cm leadwire and (violet) 1,5mm touchproof connector (1pack=25needles)



NEEDLE ELECTRODES FOR BOTULINUM TOXIN

65.113.04	30G diam. 0,30mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (blue) and 1,5mm touchproof connector (1pack=10needles)
65.113.05	27G diam. 0,40mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (green) and 1,5mm touchproof connector (1pack=10needles)
65.113.06	26G diam. 0,45mm x 37mm, disposable needle electrode for botulinum toxin, 70cm leadwire (pink) and 1,5mm touchproof connector (1pack=10needles)
65.113.07	25G diam. 0,50mm x 50mm, disposable needle electrode for botulinum toxin, 70cm leadwire (white) and 1,5mm touchproof connector (1pack=10needles)
65.113.08	22G diam. 0,70mm x 75mm, disposable needle electrode for botulinum toxin, 70cm leadwire (grey) and 1,5mm touchproof connector (1pack=10needles)



Item code

NEUROPHYSIOLOGY

Valid from 01/05/2023

POLYSOMNOGRAPHY

REUSABLE SLEEP SENSORS

- 64.144.02 Airflow thermal sensor, 3 way, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.13 Airflow thermal sensor, 3 way, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.16 Airflow thermal sensor, 3 way, neonatal size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.11 Respiratory effort sensor, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.12 Respiratory effort sensor, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.01 Snoring sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.08 Tremor sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.04 Limb movement sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)



DISPOSABLE SLEEP SENSORS

- 64.144.03 Disposable respiration sensor, adult size, 2m long leadwire to be used with 64.144.10 (1pack=5pieces)
- 64.144.05 Disposable respiration sensor, paediatric size, 2m long leadwire to be used with 64.144.10 (1pack=5pieces)
- 64.144.06 Disposable snoring sensor, 2m long leadwire to be used with 64.144.14 (1pack=5pieces)
- 64.144.10 Reusable module transducer for disposable adult/paediatric respiration sensor (1pack=1piece)



- 64.144.14 Reusable module transducer for disposable snor sensor (1pack=1piece)

NERVE CONDUCTION STUDIES

BIPOLAR SURFACE STIMULATION ELECTRODES

- 65.118.03 Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.118.04 Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
- 65.118.05 Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.118.06 Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
- 65.118.16 Couple of spare stainless steel electrodes to be used with bipolar stimulation electrode with 25mm interelectrode distance Item cod. 65.118.03/65.118.04 (1pack=1couple)
- 65.118.17 Couple of spare stainless steel electrodes to be used with bipolar stimulation electrode with 25mm interelectrode distance Item cod. 65.118.05/65.118.06 (1pack=1couple)



RECORDING BAR ELECTRODES

- 66.117.11 Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 66.117.08 Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and 5pole DIN4522 connector (1pack=1piece)
- 66.117.17 Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connector (1pack=1piece)
- 66.117.14 Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and 5pole DIN4522 connector (1pack=1piece)



BIPOLAR BAR STIMULATION ELECTRODES

- 65.115.03 Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.115.04 Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
- 65.115.05 Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.115.06 Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)



DISK ELECTRODES

- 65.118.22 Couple of disk electrodes diam. 10mm gold plated with 100cm leadwire and 1,5mm touchproof connector (1pack=1piece)

Other versions available on request

RING ELECTRODES

- 65.114.11 Pair of stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1pair)
- 65.114.10 Pair of stainless steel spring ring electrodes with 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1pair)
- 65.114.14 Pair of thin stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1paire)
- 65.114.15 Pair of thin stainless steel spring ring electrodes with 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1pair)




Item code

NEUROPHYSIOLOGY

CONNECTION SYSTEM

65.114.06	A pair of stainless steel rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.07	A pair of stainless steel tin rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.08	A pair of AgAgCl flat electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.03	A pair of AgAgCl disc electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.02	A pair of 1mm sockets moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.09	A pair of stud adapters moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.05	A pair of insulated alligator clips moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.111.11	100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
65.111.05	100cm extralight connection leadwire for concentric connection and 2 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



GROUND ELECTRODES AND ADAPTERS

GROUND BAND ELECTRODES

65.117.01	2,5x25cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
65.117.02	2,5x40cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
65.117.03	2,5x70cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



GROUND PLATE ELECTRODES

65.117.10	Ground plate electrodes, 125cm leadwire and 1,5mm touchproof connector (1pack=1piece)
-----------	---

Other versions available on request



DIFFERENT ACCESSORIES

60.113.27	Jumper leadwire 12cm with 1,5mm touchproof connector (1pack=5pieces)
-----------	--




Item code	ELECTROSTIMULATION	Price per Pack (€)
-----------	---------------------------	-----------------------

STIMULATION ELECTRODES

ADHESIVE ELECTRODES

- 66.119.01 35x45mm disposable stimulation surface electrode with snap connection (1pack=4pieces)
- 66.119.02 45x50mm disposable stimulation surface electrode with snap connection (1pack=4pieces)
- 66.119.07 40x90mm disposable stimulation surface electrode with snap connection (1pack=4pieces)
- 66.119.08 50x90mm disposable stimulation surface electrode with snap connection (1pack=4pieces)
- 66.119.11 35x45mm disposable stimulation surface electrode with 2mm socket leadwire (1pack=4pieces)
- 66.119.12 45x50mm disposable stimulation surface electrode with 2mm socket leadwire (1pack=4pieces)
- 66.119.15 40x90mm disposable stimulation surface electrode with 2mm socket leadwire (1pack=4pieces)
- 66.119.16 50x90mm disposable stimulation surface electrode with 2mm socket leadwire (1pack=4pieces)
- 66.119.25 50x100mm disposable stimulation surface electrode with 2mm socket leadwire (1pack=4pieces)



REUSABLE ELECTRODES

- 66.100.01 40x60mm reusable plate electrode with leadwire (Black/Red) and 4mm socket (1pack=2pieces)
- 66.100.04 80x60mm reusable plate electrode with leadwire (Black/Red) and 4mm socket (1pack=2pieces)
- 66.100.06 80x120mm reusable plate electrode with leadwire (Black/Red) and 4mm socket (1pack=2pieces)
- 66.100.08 150x110mm reusable plate electrode with leadwire (Black/Red) and 4mm socket (1pack=2pieces)
- 66.100.10 40x60mm reusable plate electrode with leadwire (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.12 80x60mm reusable plate electrode with leadwire (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.14 80x120mm reusable plate electrode with leadwire (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.16 150x110mm reusable plate electrode with leadwire (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.18 40x60mm reusable plate electrode with leadwire (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.100.20 80x60mm reusable plate electrode with leadwire (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.100.22 80x120mm reusable plate electrode with leadwire (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.100.24 150x110mm reusable plate electrode with leadwire (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.100.25 40x60mm reusable plate electrode (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.26 80x60mm reusable plate electrode (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.27 80x120mm reusable plate electrode (Black/Red) and 4mm plug (1pack=2pieces)
- 66.100.28 80x60mm reusable plate electrode (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.100.29 80x120mm reusable plate electrode (Black/Red) and 2/4mm socket (1pack=2pieces)
- 66.119.21 50x50mm reusable plate electrode with 2mm socket (1pack=4pieces)
- 66.119.22 50x100mm reusable plate electrode with 2mm socket (1pack=4pieces)



Item code	ELECTROSTIMULATION	Price per Pack (€)
-----------	---------------------------	-----------------------

ACCESSORIES FOR ELECTROSTIMULATION		
---	--	--

ELECTRODE HOLDERS

- 66.112.01 40X60mm sponge pouch (1pack=10pieces)
- 66.112.02 80X60mm sponge pouch (1pack=10pieces)
- 66.112.03 80X120mm sponge pouch (1pack=10pieces)
- 66.112.04 150X110mm sponge pouch (1pack=10pieces)
- 66.112.05 40X60mm spontex pouch (1pack=10pieces)
- 66.112.06 80X60mm spontex pouch(1pack=10pieces)
- 66.112.07 80X120mm spontex pouch(1pack=10pieces)
- 66.112.08 150X110mm spontex pouch(1pack=10pieces)



FIXING STRAP

- 66.118.01 10x100cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.02 10x80cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.03 10x60cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.04 10x40cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.14 8x100cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.15 8x80cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.16 8x60cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.17 8x40cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.18 3x100cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.19 3x80cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.20 3x60cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.21 3x40cm long elastic fixing strap with velcro (1pack=1piece)
- 66.118.08 3,2x45cm long natural rubber fixing strap (1pack=1piece)
- 66.118.09 3,2x135cm long natural rubber fixing strap (1pack=1piece)
- 66.118.10 2,5x45cm long natural rubber fixing strap (1pack=1piece)
- 60.115.24 Spare plastic stud for rubber band (1pack=100pieces)



JUMP LEAD WIRE



- 64.141.06 Jumper box for 3 connector with 1,5mm touchproof connector
- 64.141.07 Jumper box for 5 connector with 1,5mm touchproof connector



Item code

CONSOMMABLES ECG & ECHO

PAPIER POUR ECG 50X15 ASTRON REPLAY
PAPIER POUR ECG 50X30 CARD. DELTA1 / FUKUDA / NIHON KOHDEN
PAPIER POUR ECG 55X30 HELDIGE EK 41
PAPIER POUR ECG 58X20 BIONICS
PAPIER POUR ECG 60X15 CARDIOLINE AR 600
PAPIER POUR ECG 60X30 CARDIOLINE DELTA 1 PLUS
PAPIER POUR ECG 63X30 RADIO FAX / FUKUDA
PAPIER POUR ECG 80X20 EDAN / INNOMED
PAPIER POUR ECG 80X70X315 SCHILLER AT 101
PAPIER POUR ECG 80X90X280 HELDIGE MAC 400/600
PAPIER POUR ECG 90X90X360 HELDIGE MAC 500
PAPIER POUR ECG 90x90x400 SCHILLER AT1
PAPIER POUR ECG 100X150X180 CARDIOLINE ECG 100+
PAPIER POUR ECG 100X20
PAPIER POUR ECG 110X20
PAPIER POUR ECG 110x140x 142 NIHON KOHDEN / FUKUDA/ MAC800
PAPIER POUR ECG 110x140x 150 BLON NIHON KOHDEN RADIO FAX GEM
PAPIER POUR ECG 112x100X300 CARDIOLINE DELTA 3 PLUS
PAPIER POUR ECG 120X20 CARDIOLINE AR 1200
PAPIER POUR ECG 207X135X370 HELDIGE EK 512P
PAPIER POUR ECG 210X30 CARDIOLINE DELTA 60
PAPIER POUR ECG 210X140X214 NIHON KOHDEN
PAPIER POUR ECG 210X140X250 SCHILLER AT 10
PAPIER POUR ECG 210X150X170 ESAOTE
PAPIER POUR ECG 210X150X200 BIOCARE IE 12A
PAPIER POUR ECG 215X280X200 MEDIGATE / MADIANA YS-M248
PAPIER POUR ECG 210X280X215 SCHILLER AT2
PAPIER POUR ECG 210X280X300 CASE
PAPIER POUR ECG 210*295*150 CARDIOSMART MAC 1100/1200
PAPIER POUR ECG 210X300X200 MEGACART / BURDICK 7974
PAPIER POUR ERCF 112x25 BIOSYS BFM 900
PAPIER POUR ERCF 112X90X150 EDAN
PAPIER POUR ERCF 112X100X146 TRISMED FM8000G
PAPIER POUR ERCF 112X120X150 BIOSYS BFM 800 / BFM 900
PAPIER POUR ERCF 112X120X250 BIOSYS BFM 800 / BFM 900
PAPIER POUR ERCF 120X100X150 IM-76*3002.016*FM60
PAPIER POUR ERCF 120X120X250
PAPIER POUR ERCF 130X120X250 BISTOS BT 300
PAPIER POUR ERCF 150X100X150 HP M1911A* AM 67
PAPIER POUR ERCF 152X150X200 HUNTLEIGH 248325-3
PAPIER POUR ERCF 152X90X150 CADENCE / EDAN / ANALOG / BT350
PAPIER THERMIQUE 50 X20
PAPIER THERMIQUE 57X20
PAPIER THERMIQUE 80X20
PAPIER THERMIQUE 110X20
PAPIER ECHO K61 B 110X20 MITSUBISHI
PAPIER ECHO SONY UPP 110S MITSUBISHI K61B
PAPIER SONY UPP 110 HG 110X18



Item code

CONSOMMABLES ECG & ECHO

GEL,ELECTRODES,BOCAL

GROUND BAND ELECTRODES

GEL ECHO 5 kg
GEL ECHO 250 ML
GEL ECG/EEG 250 ML
AC CREAM 250g
CLEANING SPRAY POUR SONDE ECHO
ELECTRODE ECG JETABLES 32X40mm
ELECTRODES JETABLE AMAGNETIQUE 42X45mm
PINCETTE POUR ECG (JEUX 4 PCS)
VENTOUSE POUR ECG(JEUX 6 PCS)
ELECTRODES JETABLE AMAGNETIQUE
BOCAL D'ASPIRATION 2 LITRES 2000 cc
BOCAL D'ASPIRATION 4 LITRES 4000 cc
BOCAL D'ASPIRATION 5 LITRES 5000 cc
FILTRE ANTIBACTERIEL
BRASSARD POUR MONITEUR 1 VOIE POUR NEONAL
BRASSARD POUR MONITEUR 2 VOIE POUR NEONAT
BRASSARD POUR MONITEUR 1 VOIE POUR ADULTE
BRASSARD POUR MONITEUR 2 VOIE POUR ADULTE
BRASSARD POUR MONITEUR 1 VOIE POUR ENFANT
BRASSARD POUR MONITEUR 2 VOIE POUR ENFANT



Item code

ASPIRATEURS & NEBULISSEURS

ASPIRATEUR CHIRURGICAL HOSPIVAC 400

Capacité : 2x5 L
 Débit : 90 l /min

ASPIRATEUR CHIRURGICAL HOSPIVAC 350

Capacité : 2x2 L, 2x5L
 Débit : 60 l /min

ASPIRATEUR DE MUCOSITE NEW ASKIR

Capacité : 1 L
 Débit : 16 l /min

AEROSOL PROFESSIONNEL CLINEB PRO

Max air : 16 l /min

AEROSOL A USAGE DOMESTIQUE FARMASOL

Max air : 16 l /min



Item code

CARDIOLIGIE

Appareil ECG 3/6 pistes 100L Avec Interprétation

Marque: Cardioline
 Origine: ITALIE

Appareil ECG 12 Pistes Avec Interprétation ECG 200L

Marque : Cardioline / Origine : Italie

TOUCH ECG HD+12 config Windows avec Glasgow interpretation

Marque : Cardioline / Origine : Italie

CLICKHOLTER ECG

3 dérivation 24/48 h , 7 J
 marque : Cardioline / Origine: Italie

Holter tensionnel (MAPA) 24/48H

Marque : Cardioline / Origine : Italie

Système épreuve deffort Avec :

Tapis xr450 Ou Vélo XR100
PC + chariot,
Logiciel cubestress,
Acquisiteur 12 dérivation,

Spiromètre Pneumos 500

Marque : Cardioline / Origine: Italie



Item code




MOBILIER

TABLE D'EXAMEN
CHARIOT LINGE SALE
POTENCE 2 CROCHET EN INOX
GHERIDON 2 ETAGES EN INOX
BOITES ALLUMINIUM 215X100X50
mallette de diagnostic
TABLE D'EXAMEN GYNECO
Escabeau 2 marches
VALISE DE REANIMATION



Item code

ACCESSOIRES BISTOURI ELECTRIC

<p>SMI-0888-02</p>	<p>Silicon Patient Plate-Martin Connecter</p>	<p>The Patient Plate helps reduce the possibilities of shock/trauma caused by inadvertent contact between patient and surrounding area or persons. Sparx Med Made Form silicone / Stainless Steel Material. Highly Consumption Current. conductive silicon rubber Compatible for Martin</p>	
	<p>Silicon Patient Plate- Erbe Connecteur</p>	<p>The Patient Plate helps reduce the possibilities of shock/trauma caused by inadvertent contact between patient and surrounding area or persons. Sparx Med Made Form silicone / Stainless Steel Material. Highly Consumption Current. conductive silicon rubber Compatible for Erbe.</p>	
	<p>Silicon Patient Plate- Valley Lab</p>	<p>The Patient Plate helps reduce the possibilities of shock/trauma caused by inadvertent contact between patient and surrounding area or persons. Sparx Med Made Form silicone / Stainless Steel Material. Highly Consumption Current. conductive silicon rubber. Compatible for ValleyLab.</p>	





Item code

ACCESSOIRES BISTOURI ELECTRIC

<p>SMI-1429</p>	<p>Monopolaire 4 mm / câble de 3 mètres. Silicon-Nouveau design</p>	<p>Monopolar cable wire is used to connect the monopolar dissecting forceps and foot control esu pencil with the diathermy unit. Sparx Med Monopolar and Bipolar Cables made with high quality Silicon and Copper. Compatible for many diathermy units.</p>	
<p>SMI-302A-SPT</p>	<p>Contrôle des pieds Crayon-couleur blanche- avec lame et aiguille gratuites</p>	<p>Cautery Pencil is a medical device used to fulgurate, coagulate, cut or dissect biological tissue Sparx Med Esu Pencil It is typically made of plastic or metal. it is control with foot switch button.</p>	
	<p>cable avec cryon touche digital/Hand Control reusable Pencil</p>	<p>Cautery Pencil is a medical device used to fulgurate, coagulate, cut or dissect biological tissue Sparx Med Esu Pencil It is typically made of plastic or metal and has a button or switch on the top for controlling the electrical current. Tip: The tip of the cauterization pencil is typically made of a metal alloy, such as stainless steel or tungsten, and is available in various shapes and sizes.</p>	




Item code

ACCESSOIRES BISTOURI ELECTRIC

<p>SMI-1401</p>	<p>Bipolaire- Valley Lab- Européen- Silicium de 3 mètres. /New exclusive</p>	<p>Bipolar cable wire is used to connect the bipolar dissecting forceps with the diathermy unit. Sparx Med Monopolar and Bipolar Cables made with high quality Silicon and Copper. Compatible for valleylab.</p>	
<p>SMI-1423</p>	<p>Bipolaire -Martin connector- European fitting-3 Meter / New exclusive</p>	<p>Bipolar cable wire is used to connect the bipolar dissecting forceps with the diathermy unit. Sparx Med Monopolar and Bipolar Cables made with high quality Silicon and Copper. Compatible for Martin,wolf,Sutter</p>	
<p>SMI-1425</p>	<p>Bipolaire -ERBE connector- European fitting-3 Meter/ New exclusive</p>	<p>Bipolar cable wire is used to connect the bipolar dissecting forceps with the diathermy unit. Sparx Med Monopolar and Bipolar Cables made with high quality Silicon and Copper. Compatible for Erbe ,Siemens.</p>	
	<p>Bipolaire -Bowa connector- European fitting-3 Meter/ New exclusive</p>	<p>Bipolar cable wire is used to connect the bipolar dissecting forceps with the diathermy unit. Sparx Med Monopolar and Bipolar Cables made with high quality Silicon and Copper. Compatible for Bowa, Limedy,Ethicon.</p>	

Item code

ACCESSOIRES BISTOURI ELECTRIC

SMI-03-103-R	Pincés bipolaires - 18.00cm de long- 1 mm Pointe droite européenne	<p>The bipolar forceps securely grasp tissue, precisely dissect, and are able to effectively coagulate small as well as very large blood vessels</p> <p>Sparx Med Bipolar forceps made with Stainless Steel 420 with Nylon coated.</p>	
01-2080	OtoScope set (fiber optic)	<p>An otoscope is a tool which shines a beam of light to help visualize and examine the condition of the ear canal and eardrum.</p> <p>Sparx Med Otoscope made with 304 ss and fibre optic Light.</p>	
01-2080-A	Otoscope set Standard	<p>An otoscope is a tool which shines a beam of light to help visualize and examine the condition of the ear canal and eardrum.</p> <p>Sparx Med Otoscope made with 304 ss and led standard bulb</p>	
01-2084	Laryngoscope à Standard (la norme) à 4 lames	<p>Laryngoscopes used to manipulate the tongue and enable a clear view of the trachea for surgical/mechanical ventilation/intubation procedures</p> <p>Sparx Med Laryngoscopes made with 303/304 stainless steel which is highly resistance to corrosion.</p>	